

EASTY STAR AUTO CLAM SERIES HEAT PRESS



Star Auto Clam - A



Star Auto Clam - B



Star Auto Clam - C



Star Auto Clam - AS



Star Auto Clam - BS



Star Auto Clam - CS

FEATURES

- Touch screen controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching.
- 3/4" thick non-sticky coating on plate's surface
- User friendly optional sliding table design with individual digital time, temperature, and pressure indicator.
- CE/FC/ROHS approved, °F or °C exchange flexibly

SPECIFICATIONS

Star Auto Clam Presses	Star-A	Star-AS	Star-B	Star-BS	Star-C	Star-CS
Operation Voltage	Single Phase 110V / 220V, 60HZ/50HZ					
Power	1800W / 2000W /2200W					
Working Sizes	40*40cm(16"x16") / 40*50cm(16"x20") / 40*60cm(16"x24") / 50*60cm(20"x24")					
Temperature & Time Range	0-280°C (0-536 °F) & 0-999Sec					
Packing Size(Wooden Case)	89.5*52*58cm (35"x20"x23")					
Gross Weight (KGS)	37.8/41/54/59	43/47/60/65	37.8/41/54/59	43/47/60/65	37.8/41/54/59	43/47/60/65

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)



EASTY STAR SWING SERIES & AUTO CLAM LARGER SERIES HEAT PRESS



Manual Swing-ZM



Pneumatic Swing-ZP



AutoClam-5010DS



AutoClam-6080DS

FEATURES

- Swing Design: Easy operation, height adjustable, 90° angle rotatable swing
- Touch screen controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching.
- CE/FC/ROHS approved, °F or °C exchange flexibly, Production cycle counter.

SPECIFICATIONS

Swing / Clam Press	Star Swing-ZM	Star Swing-ZP	Star-5010DS	Star-6080DS
Operation Voltage	Single Phase 110V / 220V, 60HZ/50HZ			
Power	1800W / 2000W /2200W		3000W / 3600W	
Working Sizes	40*50cm(16"x20") / 40*60cm(16"x24") / 50*60cm(20"x24")		50*100cm(20"x39")	60*80cm(24"x32")
Tem. & Time Range	0-280°C (0-536 °F) & 0-999Sec			
Wood Packing Size	95*92*70cm (37"x36"x28")		110*100*85cm (43"x39"x33)	100*88*85cm (39"x35"x33")
Gross Weight	73kgs(161lbs) /85kgs(187lbs) /98kgs(216lbs)	75kgs(165lbs) /87kgs(192lbs) /100kgs(220lbs)	160kgs (353lbs)	150kgs (331lbs)

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)



EASTY STAR DUAL SERIES & AIR FUSION SERIES HEAT PRESS



Dual Platen-DSS



Dual Pneumatic-DSP



Star Air Fusion - P



Star Air Fusion Dual - DP

FEATURES

- Dual Shuttle available for effective interchange operation.
- Air power allow powerless operation, air compressor not included
- Touch screen controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching.
- CE/FC/ROHS approved, °F or °C exchange flexibly, Production cycle counter.


SPECIFICATIONS

Star Dual /Air Fusion Press	Star-DSS	Star-DSP	Star-P	Star-DP
Operation Voltage	Single Phase 110V / 220V, 60HZ/50HZ			
Power	1800W / 2000W /2200W		1.8/2/2.2/3.6KW	1.8/2/2.2KW
Working Sizes (cm)	40*40/40*50/40*60/50*60		40*50/40*60/50*60/60*80	40*50/40*60/50*60
Temperature & Time Range	0-280°C (0-536°F) & 0-999Sec			
Wooden Case Packing Size	91*53*76/ 95*95*75cm	93*71*73/98*88*7 5/120*88*75cm	96*68*85/110*78*85cm	98*130*85/ 110*150*85cm
Gross Weight	60/68/80/100kgs	130/150/170kgs	90/110/130/150kgs	120/140/160kgs

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)



EASTY STAR N-IN-1 SERIES HEAT PRESS



FEATURES

- N in 1 multi-combo type allow transfer on different type & different size
- Touch screen controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching. Wide opening allows easy operation
- CE/FC/ROHS approved, $^{\circ}\text{F}$ or $^{\circ}\text{C}$ exchange flexibly, Production cycle counter.

SPECIFICATIONS

Auto Open High Pressure		Star 16-1		Star 8-1		Star 6-1	
Operation Voltage		Single Phase 110V / 220V, 60HZ/50HZ					
Power		1500W					
Working Sizes	T Shirt	33*43cm/38*38cm	29*38cm	33*43cm/38*38cm	29*38cm	33*43cm/38*38cm	29*38cm
	Cap	14.6*7.6cm/16.5*6.9cm/16.5*8.8cm/6.5*10.2cm/20.3*10.2cm		16.5*8.8cm (6.5"x3.5")			
	Common Mug	2.5oz/6oz/11oz/6oz-15oz/11oz-15oz		6oz / 11oz			
	Conical Mug	1.5oz / 12oz / 17oz		12oz / 17oz		-	
	Plate	8", 10"					
Tem. & Time Range		0-280 $^{\circ}\text{C}$ (0-536 $^{\circ}\text{F}$) & 0-999Sec					
Wooden Case Packing Size		89.5*52*58cm					
Gross Weight		45kgs	42kgs	39kgs	36kgs	38kgs	35kgs

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)



EASTY STAR COMBO SERIES / CAP SERIES / BALL SERIES HEAT PRESS



Star Luxury Combo 8-in-1(2938)



Star Luxury Combo 8-in-1(3838)



Star Luxury Combo 8-in-1(3343)



Star Cap Press



Star Ball Press

FEATURES

- Combo multi-function type allow transfer on different substrate, e.g. glass, cup, cap, pad,...
- Touch screen controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching. Wide opening allows easy operation
- CE/FC/ROHS approved, °F or °C exchange flexibly, Production cycle counter.

SPECIFICATIONS

Star Combo Series		StarLUX C8-1(2938)	StarLUX C8-1(3838)	StarLUX C8-1(3343)	Star-Cap	Star-Ball
Operation Voltage		Single Phase 110V / 220V, 60HZ/50HZ				
Power		1250W / 1500W			500W / 700W	
Working Sizes	T Shirt	29*38cm	38*38cm	33*43cm	14.6*7.6cm/ 16.5*6.9cm/ 16.5*8.8cm/ 16.5*10.2cm/ 20.3*10.2cm	9*11cm
	Cap	8*15cm				
	Common Mug	5.5-7.5cm, 7.5-9.5cm				
	Conical Mug	12OZ, 17OZ				
	Plate	8", 10"				
Tem. & Time Range		0-280°C (0-536°F) & 0-999Sec				
Wooden Case Packing Size		52.5*46*46.5cm			58*33*49cm	62.5*34.5*71cm
Gross Weight		38kgs(84lbs)	40kgs(88lbs)	39kgs(86lbs)	25kgs(55lbs)	35kgs(77lbs)

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)



EASTY STAR MUG SERIES HEAT PRESS

4-in-1



Star Magnetic Mug 4-in-1

6-in-1



Star Magnetic Mug 6-in-1

8-in-1



Star Magnetic Mug 8-in-1



Star Mug Press 5-in-1



Star Multi Mug Press 5-in-1

FEATURES

- Specially designed for mugs, N in 1 size type allow transfer on different size on glass & cup efficiently
- LED temp./time controller with high accuracy, automatic temperature tracking function (temp. accuracy to $\pm 0.5^{\circ}\text{C}$)
- Heating wire and plate embedded in a whole piece with protection casting, safe, durable, even heat distribution
- Precise line pipe technology adopted, ensure the uniformity and stability of temperature
- Digital time controller with alert indication
- Automatic opening mechanism to prevent overheating and scorching. Wide opening allows easy operation
- CE/FC/ROHS approved, °F or °C exchange flexibly, Production cycle counter.

SPECIFICATIONS

Star Mug Heat Press		Star Magnetic Mug 4-1	Star Magnetic Mug 6-1	Star Magnetic Mug 8-1	Star Mug Press 5-1	Star Multi Mug Press 5-1
Operation Voltage		Single Phase 110V / 220V, 60HZ/50HZ				
Power		320W			300W	
Working Sizes	Common Mug	6oz/11oz	2.5oz/6oz/11oz	2.5oz/6oz/11oz/6oz-15oz z/11oz-15oz	5pcs 7.5-9.5cm for common mugs	5.5-7.5cm, 7.5-9.5cm for common mugs each 5pcs
	Conical Mug	12oz/17oz	1.5oz/12oz/17oz	1.5oz/12oz/17oz		
Tem. & Time Range		0-280°C (0-536°F) & 0-999Sec				
Wooden Case Packing Size		39x36x29cm (15"x14"x11")			95*35*28cm (37"x14"x11")	
Gross Weight		10kgs(22lbs)	12kgs(26lbs)	14kgs(31lbs)	33kgs(73lbs)	36kgs(79lbs)

- Other parts are eligible for 12 months warranty under proper use (starting from EXW-factory time)

